






Mini-ITX Tower



User Manual



Product Video Information



POC Product Video


POC Assembly Guide
Application download link:





Enrich Our Life


iBuildiShare is committed to developing interactive and engaging products that achieve a much more enriching PC building experience.



POC's Origin

Birthered from InWin's iBuildiShare DIY product lineup, POC aims to provide an overall unique PC chassis experience. Hand-folding metal sheets into a lightweight yet sturdy PC structure delves into an origami-like art form. The design concept supersedes thinking outside the proverbial box and encourages builders to assemble said box instead.

Specifications



InWin POC Chassis

Model	POC
Model Numbers	IW-CS-POCBLU
	IW-CS-POCGRE
Colors	Black/Blue, Green/Yellow
Case Type	Mini-ITX Tower
Materials	SECC
M/B Compatibility	Mini-ITX
Expansion Slots	3 x PCI-E (Supports 3.5-Slot GPUs. PCI-E 4.0 Riser Cable Included.)
Maximum Compatibility	GPU Length: 346 mm
	GPU Thickness: 82 mm
	CPU Heatsink Height: 142 mm
I/O Ports	1 x USB 3.2 Gen 2x2 Type-C
	2 x USB 3.2 Gen 1
	HD Audio Combo (CTIA – SPK/Mic)
Internal Drive Bays	1 x 2.5"
Thermal Solution Compatibility	Air Cooling Fans: Rear: 1 x 120 mm (1 InWin Luna AL120 Fan Included)
Power Supply Compatibility	PSII: ATX12V - Length up to 160 mm
Product Dimensions (L x W x H)	256 x 278 x 423 mm
	10.1 x 10.9 x 16.7"
Package Dimensions (L x W x H)	449 x 418 x 45 mm
	17.7 x 16.4 x 1.78"
Net Weight	4 kg / 8.82 lbs
Gross Weight	5.2 kg / 11.46 lbs

* InWin's products comply with RoHS regulations.
* Specifications may vary based on different regions.

Specifications


InWin LUNA AL120

Model	Luna AL120
Quantity Included	Single Pack
Model Number	IW-FN-AL120-1PK
Colors	Black
Fan Size	120 x 120 x 25 mm
Materials	PC, PBT
Rated Voltage	DC 12V
Rated Power	3.96W
Rated Current	0.33A
ADD RGB Rated Voltage	DC 5V
ADD RGB Rated Power	1.5W
ADD RGB Rated Current	0.3A
Speed Mode	PWM 600-1800 +/-10% RPM
Air Flow	82.96 CFM
Air Pressure	2.31 mm / H2O
LED	Addressable RGB
Connector (Fan to Fan)	Non-Modular Cables
Connector to M/B	4-Pin (PWM, 12V), 3-Pin (ARGB, 5V)
Noise Level	25 dB(A) (Normal)
Bearing Type	Long Lifespan Sleeve Bearing
Net Weight	133 g
Gross Weight	169 g
Package Dimensions (L x W x H)	185 x 125 x 30 mm
Warranty	2 Years


* Specifications may vary based on different regions.
* Our products comply with RoHS regulations.



Package Contents




1




2




3




4



5




6




1	MB Plate
2	Front Panel
3	Rear Panel
4	Side Covers x 2
5	Top Panel
6	Bottom Panel

Package Contents



1	I/O Module
2	Footpads x 4
3	PCI-E 4.0 Riser Cable
4	Handles x 2
5	Accessories
6	Luna AL120
7	Velcro Strips x 5
8	Cable Ties x 5

Package Contents




Accessories



1	S1 Screws x 25
2	S2 Handle Screws x 4
3	S3 Thumb Screws x 4
4	S4 2.5" SSD Screws x 4
5	P1 M/B Stand-offs x 6
6	P2 GPU Stand-offs x 2
7	P3 GPU Stand-offs x 2
8	Stand-off Socket x 1
9	PCI-E Slot Bracket x 1
10	Cables Mounts x 2
11	Double-sided Tapes x 2


Package Contents





LUNA AL120 Package Contents



1	LUNA AL120 Fan x 1
2	Screws x 4





Case Structure




1	Handles
2	Power Supply Mounting Area
3	Motherboard Mounting Area
4	Rear Fan Mounting Area
5	2.5" SSD Mounting Area
6	Shock-Proof Stands

7	Graphic Card Mounting Area
8	PCI-E Expansion Slots






Installation Guide




Please download the Assembly Guide APP for more detailed instructions.

Connection Cables


Switch/LED Connector/HDD LED Connector X 1




Black(P LED +)	1		2	Black(HDD LED +)
Black(P LED -)	3		4	Black(HDD LED -)
Black(P SW +)	5		6	NC
Black(P SW -)	7		8	NC
Key	9		10	NC




Installation Guide




HD Audio Header




USB 3.2 Gen 1



USB 3.2 Gen 2 x 2 Type-C



Notices and Warranty




Notices

1. Please follow the user manual for installation guidelines.
2. When installing the computer components, please use antistatic precautions to prevent ESD (electrostatic discharge) damage. Failure to take the necessary precautions may result in injury to the installer and/or damage to the machine. Incorrect installation may burn out the motherboard and other system components.
3. To avoid any damages, please do not use this product for any other purpose than its intended use.
4. Any modifications may damage the product.
5. Please remove all internal devices before shipping or moving. (Including power supply, hard drives, motherboard, CPU, etc.)
6. When storing the case, please keep this product away from high temperatures. Keep away from machines such as heaters that might cause high temperatures.
7. For more technical support, please visit the InWin Forum at <https://forum.in-win.com/>

Warranty

- * For more detailed warranty information, please visit the InWin retail website at www.in-win.com.
- * The actual product is subject to change without prior notice. InWin Development Inc. reserves the right to make final modifications.





CONTEMPORARY & INNOVATIVE
w w w . i n - w i n . c o m